

Pocket Door Hardware

Designed to



Wall Mount Door Hardware Last a Lifetime.



Bypass Door Hardware Guaranteed.



Multi-Pass Door Hardware



Bifold Door Hardware



Multi-Fold Door Hardware



Engineered Excellence

www.johnsonhardware.com



POCKET DOOR HARDWARE

2060 SERIES



2000 SERIES



1560 SERIES



1500SC/HD SERIES



200PD SERIES



100PD SERIES



For 11/8" to 21/4" thick doors up to 400 lbs.

For use in 2x6 stud walls, this is a deluxe commercial grade pocket door frame. Utilizes all-steel, extra stiff studs to resist bending and warping. Heavy duty extruded aluminum I-beam track, four wheel ball bearing hangers with machine turned 1" wheels.

8067-Close/Open

.125 6063T6 Aluminum track, 11-13 gauge steel parts

For 11/8" to 13/4" thick doors up to 400 lbs.

For use in 2x4 stud walls, this is a deluxe commercial grade pocket door frame. Utilizes all-steel, stiff studs to resist bending and warping. Heavy duty extruded aluminum I-beam track, four wheel ball bearing hangers with machine turned 1" wheels.

SOFT-Close/Open

.125 6063T6 Aluminum track, 11-18 gauge steel parts

For 1" to 3" thick doors up to 200 lbs.

For use in 2x6 stud walls, this is a commercial grade pocket door frame. Utilizes a "jump proof" aluminum box track and all-steel, stiff studs to resist bending and warping. Trouble free tricycle hangers with machine turned 1" wheels on convex rails.

8087-Close/Open

.055 6063T6 Aluminum track, 14-18 gauge steel parts

For 1" to 134" thick doors up to 200 lbs.

For use in 2x4 stud walls, this is a commercial grade pocket door frame. Utilizes a "jump proof" aluminum box track and all-steel, stiff studs to resist bending and warping. Trouble free tricycle hangers with machine turned 1" wheels on convex rails.

11 8077-Close/Open

.055 6063T6 Aluminum track, 14-18 gauge steel parts

For 11/8" or thicker doors up to 400 lbs.

A deluxe commercial grade hardware set. Heavy duty extruded aluminum I-Beam track, four wheel ball bearing hangers with machine turned 1" wheels. The 200PD hardware set is used in the 2060 and 2000 Series pocket door frames.

SOFT-Close/Open

For 1" or thicker doors up to 200 lbs.

Trouble free tricycle hangers with machine turned 1" wheels that ride on jump proof convex track rails. Ball bearing hangers available for doors up to 200 lbs. The 100PD hardware set is used in the 1560 and 1500 Series pocket door frames.

8007-Close/Open

POCKET DOOR HARDWARE



Heavy-Duty all steel studs, used in the 2060, have a comparable flex to a standard stud wall. No warping.



New All-Steel Uprights won't warp, are rigid and galvanized to resist rust.



Removable, heavy-gauge extruded aluminum box track. Has key-hole slots for removal.



Tricycle hangers with 1" machineturned wheels for box track. Ballbearing available for 200 lbs doors.



Soft-Close options now available for the all our Pocket Door Frames.



WALL-MOUNTED DOOR HARDWARE

200WM SERIES



For 11/8" thick or thicker doors up to 400 lbs.


A commercial grade wall mounted sliding door hardware system designed to carry heavy doors. The 200WM features heavy-duty extruded aluminum Ibeam track, track mounting brackets, and four wheel adjustable hangers with machine turned ball bearing wheels. **8077-**Close/Open



Anodized, aluminum snap on fascia available in Dark Bronze or Satin finish.



Anodized, aluminum finish available in Dark Bronze.





For 1" to 134" thick doors up to 200 lbs.

The easy to install 2610F commercial grade wall mount sliding door hardware is designed to carry heavy doors up to 200 lbs. Precision extruded aluminum box track features a built in fascia that hides the sliding hardware from view. Strong tricycle hangers are adjustable and machine turned.

8077-Close/Open

SLIDING DOOR HARDWARE



For 11/8" thick or thicker doors up to 400 lbs.

A deluxe commercial grade sliding door hardware system designed to carry heavy doors. The 200SD features heavy-duty extruded aluminum I-beam track, heavy duty guides, and four wheel adjustable hangers with machine turned 1" ball bearing wheels.

SOFT-Close/Open



Soft-Close options now available for the 100SD, 138F and 134F.

100SD SERIES



For 1" or thicker doors up to 200 lbs.

Trouble free tricycle hangers with machine turned 1" wheels that ride on jump proof convex track rails. Ball bearing hangers included in the set for doors up to 200 lbs. Hangers are easily adjustable with included wrench.

SOFT-Close/Open



Annodized, aluminum finish available in Dark Bronze for the 138F.

138F/134F SERIES



For 1" or thicker doors up to 200 lbs.

Trouble free tricycle hangers with machine turned 1" wheels that ride on jump proof convex track rails. Ball bearing hangers available for doors up to 200 lbs. Precision extruded aluminum box track features a built in fascia that hides the sliding hardware from view.


SOFT-Close/Open





Side Mount Door Plates available for the 200SD, 100SD, 138F, 134F and 111SD

111SD SERIES



For 3/4" or thicker doors up to 150 lbs.

Trouble free tricycle hangers with machine turned 34" wheels that ride on jump proof convex track rails. Ball bearing hangers included in the set for doors up to 150 lbs. Hangers are easily adjustable with included wrench.



FOLDING DOOR HARDWARE

200FD SERIES



For 11/8" to 13/4" thick panels up to 125 lbs/each A deluxe bifold hardware set for 12" to 48" panels up to 108" tall. Top hung, heavy duty I-beam track, four wheel (1" dia.) ball bearing hangers, heavy duty bottom pivot set.

.125 6063T6 Aluminum track, 11-13 gauge steel parts

100FD SERIES



For 1" to 134" thick panels up to 75 lbs/each

An excellent bifold hardware set for 12"-24" panels up to 108" tall. Convex rail track, top hung, three wheel (1" dia.) ball bearing hangers, non-mortise lift off hinges.

.055 6063T6 Aluminum track, 14-16 gauge steel parts

111FD SERIES



For 34" to 134" thick panels up to 50 lbs/each

A superior light commercial bifold hardware set for 12"-24" panels up to 108" tall. Convex rail track, top hung, three wheel (3/4" dia.) hangers, self locating, shock absorbing hinges.

.052 6063T6 Aluminum track, 14-16 gauge steel parts





Side Mount Door Plates available for the 200FD, 100FD and 111FD

MULTIPLE DOOR HARDWARE

200MD SERIES



For 11/8" or thicker doors up to 400 lbs/each A deluxe, commercial Multi-Slide hardware set. Bottom track and guides used to allow full left to right operation. Top hung, heavy duty I-beam track, four wheel (1" dia.) ball bearing hangers.

SOFT-Close/Open

A heavy duty commercial Multi-Slide hardware set. Bottom track and guides used to allow full left to right operation. Convex rail track, top hung, three

For 1" or thicker doors up to 200 lbs/each

.125 6063T6 Aluminum track, 11-13 gauge steel parts

100MD SERIES



\$067-Close/Open


wheel (1" dia.) ball bearing hangers.

.055 6063T6 Aluminum track, 14-16 gauge steel parts

For 34" or thicker panels up to 150 lbs/each

A superior light commercial Multi-Slide hardware set. Bottom track and guides used to allow full left to right operation. Convex rail track, top hung, three wheel (3/4" dia.) hangers.

www.johnsonhardware.com



Standard Guide Track Installation



Side mount guide posts can be used to allow for a setup that does not require bottom guide tracks. Individual guide posts are used and .052 6063T6 Aluminum track, 14-16 gauge steel parts travel inside a groove in the bottom of each door to make for a clean floor in the opening.

111MD SERIES